



PRELIMINARY WORKING REPORT

Developing Parking Policies to Support Smart Growth in Local Jurisdictions: Best Practices

MTC Project Manager:
Valerie Knepper

Consultant Team:
Wilbur Smith Associates
Michael R. Kodama Planning Consultants
Richard Willson, PhD
KT Analytics, Inc.
Rick Williams Consulting

Prepared for:



Metropolitan Transportation Commission

Table of Contents

Introduction	2
Parking and Transit Oriented Development	4
Section I: Transit/TOD Supportive Policies, Strategies & Programs	
Definition, Issues, Implementation	7
New and Increased Transit Service	7
Carsharing	8
Transit Friendly Parking Design.....	9
Transit Overlay Zones.....	11
Transit Incentive Programs.....	11
Annual Pass.....	11
Downtown Free Zones	12
Visitor Programs	13
Walkability and Wayfinding.....	13
Other Transportation Demand Management Issues.....	13
Section II: Parking Requirements: Changing Parking Regulations on Development	
Definition.....	16
Issues	18
Implementation	19
Considerations for Reduction or Elimination of Parking Requirements	19
Developing TOD Friendly Parking Requirements.....	20
San Fernando Valley TOD Parking Requirement Reduction	23
Parking Maximums.....	25
Portland, Oregon Maximum Parking Requirements	26
Shared Parking	27
Section III: Changing the Price of Parking	
On-street Parking Pricing	30
Variable Rate Parking Pricing.....	31
Coordinated Off-street and On-street Pricing.....	31
Unbundled Parking.....	31
Parking Cash-Out	32
Section IV: Parking Management Strategies, Programs and Technology	
Definition, Issues, Implementation	34
Parking Payment Technology.....	35
Parking Database	36
Real-time Parking Information	36
Parking Database	36
Parking Database	36
Section V: Parking Benefit Districts	
Definition, Issues, Implementation	37
Examples.....	38
Section VI: Parking Financing	
Definition, Issues, Implementation, Financing.....	40
Fee-In-Lieu	42
Risk Fund	43
Tax Exemptions and Variable Rate Tax.....	44
Grants.....	44
References	45
Appendix A	47

Acknowledgements

The project team would like to acknowledge the following individuals for their contributions to this effort:

MTC:

Valerie Knepper

Wilbur Smith Associates:

William Hurrell

Terri O'Connor

Elizabeth Cruz

Fong Chien

Michael R. Kodama Planning Consultants:

Michael Kodama

Kyle Maetani

Barry Samsten

K.T. Analytics:

Tom Higgins

Dr. Richard Willson

Rick Williams

Chi-Hsin Shao

The Technical Advisory Committee

The statements and conclusions in this report are those of the consulting team with contributions from MTC and the Technical Advisory Committee. This report was developed to give examples of potential strategies, programs and tools that may be used in your community. However, your community is unique and therefore it is important to tailor the proposed approach and selection of strategies to meet the specific needs of your own community.

I. Introduction

All around the San Francisco Bay Area, cities are working with their communities, transit agencies, and developers to create vibrant, walkable, transit oriented places. This gives people a choice in lifestyle and travel mode to meet their needs. One of the key issues in achieving this vision is how to define parking policies that support and encourage this type of development.

There are a number of communities that have developed and implemented approaches to parking policies that support infill, transit-oriented development, and downtown development. This report will explore some of these approaches and provide examples of “Best Practices” and innovations from the Bay Area and beyond to help local jurisdictions in the Bay Area to define and implement parking policies and practices that support smart growth/Transit Oriented Development (TOD). Local jurisdictions find that parking management strategies can enhance improve the quality of life for residents and enhance economic opportunities for businesses, mitigate project impacts, and improve traffic circulation.

- Municipalities can create walkable downtowns and streetscape programs with shared parking programs, demand-based parking requirements, parking maximums, or a reduction or elimination of parking requirements.
- Many cities are reducing the number of free parking spaces and starting to use parking pricing programs in areas with viable alternative modes, specifically good transit options.
- Cities are recognizing the value of density, mixed use and locating residences, jobs, and retail destinations near public transit stations and stops.

The Best Practices examples come from communities that use a combination of parking management strategies, walkability tools and transit oriented development principles to reduce parking demand and make it easier to reach destinations by public transportation. The key is to combine TOD with parking policies and develop the right mix of strategies, recognizing that each community must go through its own process to move forward. The Best Practices report is the first step towards helping communities develop the right mix of strategies to meet their own specific situation.

Parking and Transit Oriented Development

In the past, the defacto parking policy required the provision of plentiful off-street parking supply and support for the provision of free parking. This policy has been challenged by studies that examine actual parking occupancies and reveal the hidden costs of free parking. As a result, these parking policies created too much parking, encouraged urban sprawl and became part of local zoning ordinances and standard developer business practices.

The last decade has seen a major shift resulting in changes to parking ordinances, policies and other regulation that recognize parking location, cost, supply and demand issues. However, changes in local practices have not been uniform. This occurred in cities that encounter challenges in implementing the planning vision brought about by traditional parking requirements that tended to oversupply and underprice parking.

Local jurisdictions, developers and land owners are looking at how TODs and TOD supportive parking policies can decrease the construction cost of parking and increase land values. A recent report by MTC (2006) finds that people living close to transit have a much higher tendency to use transit, walk and bike. Individuals living within ½ mile of a rail/ferry stop use transit for 42 percent of their work commute trip. In comparison, individuals who neither live nor work within ½ mile of a station use transit for only 4 percent of their work commute trips. The demographic analysis conducted for this report shows that approximately 25 percent of the Bay Area's population live within 1 mile of a rail stop or ferry terminal and therefore are likely to be impacted by TOD and TOD supportive parking policies.

Home-based work trips

Travel Characteristic	Within ½ mile of a rail station or ferry terminal	Greater than ½ mile from a rail station or ferry terminal	Total
In-vehicle person	52.6%	85.5%	83.5%
Transit	29.4%	9.9%	11.1%
Bicycle	4.1%	1.5%	1.6%
Walk	12.0%	2.3%	2.9%
Other	1.8%	0.8%	0.9%

Source: MTC 2006

Non-work trips

Travel Characteristic	Within ½ mile of a rail station or ferry terminal	Greater than ½ mile from a rail station or ferry terminal	Total
In-vehicle person	56.1%	82.3%	80.8%
Transit	16.0%	3.1%	3.8%
Bicycle	2.1%	1.3%	1.3%
Walk	22.7%	11.0%	11.7%
Other	3.1%	2.3%	2.3%

Source: MTC 2006

Total trips

Travel Characteristic	Within ½ mile of a rail station or ferry terminal	Greater than ½ mile from a rail station or ferry terminal	Total
In-vehicle person	55.3%	83.0%	81.4%
Transit	19.2%	4.6%	5.4%
Bicycle	2.6%	1.3%	1.4%
Walk	20.1%	9.1%	9.8%
Other	2.8%	2.0%	2.0%

Source: MTC 2006

TODs can result in a significant decrease in the demand for parking spaces. In an analysis of 12 housing projects near BART stations, Dr. Robert Cervero (1996) found that TODs reduce parking demand per household by 23 percent and concluded that residents actively choose to live in TOD locations that offer transit accessibility to job sites.

Cost Savings

Another reason to look at reducing parking as part of TODs is that it results in a significant cost savings. Typically, the last 15 percent of parking spaces constructed produce less income per space and cost more than average to build (Kodama, Willson, & Francis, 1996). In a Caltrans study on Parking and TOD (Boroski et al 2002), an analysis of eleven selected TOD sites suggest that it is possible to reduce parking anywhere from 12 percent in San Diego (Uptown District), 20 percent to 34 percent in Pleasant Hill and up to 60 percent in Long Beach (Pacific Court). If a project can save 500 spaces (one parking garage) at \$25,000 per space, the developer will benefit from a \$12.5 million reduction in parking construction cost.

Parking Policy and Parking Management

Reforming parking policy requires that cities address issues that arise for stakeholders:

- If a jurisdiction lowers their parking requirements then the development and lending community will need to be shown the high value of similar developments around transit and the viability of lower parking ratios.
- If communities reduce parking requirements and implement parking pricing, residential neighborhoods may want spillover protection via residential permit parking districts (perhaps with some parking revenues used for community improvements).
- If cities create incentives for unbundling parking costs from rents and reducing parking requirements, projects will need to support and publicize viable and effective alternative mode options.
- Many communities will need to overcome the fear that the reduction in parking supply and increase in parking prices put retail and commercial development in their communities at a competitive disadvantage compared with neighboring jurisdictions.

This best practices document is intended to assist local jurisdictions in assessing the programs that best fit with their local circumstances. Cities that want to adopt innovative approaches will find willing partners among regional agencies, transit agencies, and other stakeholders.

The purpose of this section is to identify techniques, strategies programs and tools that can help local jurisdictions to better manage parking resources and to facilitate transit oriented development.

Section I: Transit/TOD Supportive Policies, Strategies and Programs: Supporting Alternatives to Driving Alone

Definition

A key component of a parking management program is to combine parking strategies with an increase in transit service options. Transit improvements and incentives help reduce parking demand and must be a viable alternative in areas trying to implement parking pricing programs.

During the last decade local communities, cities and region-wide areas have improved existing and developed new public transportation service options to become an attractive and viable alternative to driving alone. To achieve these goals, public transportation providers have designed and developed services that are accessible (easy to use), available for use (responsive to demand) and designed from the user point of view (targeted user groups). Key strategies include:

- New and increased transit service
- Carsharing
- Transit friendly parking design
- Transit Overlay Zones
- Transit incentive programs
- Walkability and wayfinding
- Other transportation demand management programs

Issues

Integrating parking policies and strategies with transit service, incentive programs; pedestrian-friendly design that promotes use of alternative modes of transportation offers opportunities and challenges. Transit and parking policies are both critical to the success of creating a transit-friendly environment that is economically viable. Each is dependent upon the other. Challenges include identifying the appropriate mix of strategies for a given area or site.

Implementation

These policies and approaches should be tailored to each specific location. Land use and design require an assessment of the geographic characteristics, existing zoning requirements and parking demand. Whenever possible, incentive-based strategies and programs using a combination of parking management and transit/TOD supportive policies are critical for the development of an appropriate parking management program.

New and Increased Transit Service

Transit improvements such as the construction of rail lines and other high capacity services, new service, increasing hours of operation, increasing frequency of service and developing service to attract specific target groups help transit compete with the automobile. New and increased transit combined with parking policies can be used to achieve specific mode split and transportation objectives as described in the following examples:

Example: Lloyd District

The Lloyd District (Williams, 2006) worked with the City of Portland and Tri-Met to develop transit improvements and incentives with a parking management program. This included:

Transit	Parking
<ul style="list-style-type: none"> • Development of transit oriented development guidelines. • Establishment of new direct bus route connecting homes with destinations in the Lloyd District. • Agreement to purchase annual employee transit passes through the establishment of the Lloyd District Passport Program. • Revenue sharing of transit pass sales. 	<ul style="list-style-type: none"> • Elimination of free commuter parking. • Development of aggressive maximum ratios. • Restrictions on future development of surface parking lots. • Restrictions on parking near the MAX light rail station and development of transit oriented guidelines. • Elimination of free on-street parking, installation of parking meters and development of parking meter revenue sharing plan.

Before the start of this program the transit share was 8 percent. By 1997, the transit mode split increased to 21 percent. At the end of 2005, the transit share rose to 41 percent.

The Lloyd District has created over 1.3 million square feet of new public/private development, reduced commercial office vacancy rate from 12 percent (2001) to 3 percent, decreased parking from 3.5 spaces per 1,000 square feet to 1.95, and removed 1,433 commute vehicles with an estimated savings of over \$35 million in parking development costs (estimated based upon a construction cost of \$25,000 per space in the Lloyd District).

Carsharing

Carsharing is a program that provides participants with access to a car near their work or place of residence. This program, popular in Europe, is now spreading to urban areas in the United States. In 2004, operators claimed more than 60,000 members in the United States and 11,000 members in Canada (Millard-Ball et al, 2005).

Members of Carsharing Programs have access to fleet vehicles. Members reserve the vehicle for hourly use. Members pay for the time they use the car. They tend to be in their 30s or 40s with middle to higher incomes (Millard-Ball et al, 2005).

Service is available in San Francisco, Seattle, Washington DC, Boston, Los Angeles, Oakland, Berkeley and other locations. Carsharing can be found in urban metropolitan cars and can be used to reduce residential car ownership, student car use, or to the size of employer car fleets.

Local government can participate in carsharing programs in a variety of ways. In some cases, local jurisdictions can use car sharing to reduce the number of fleet vehicles. They may also provide marking, administrative or start-up funds for this type of pro-

gram. Local jurisdictions can also become involved in finding or financing parking spaces for carsharing programs. Finally, local jurisdictions can allow the use of carsharing programs to reduce the parking requirement or as a project mitigation measure for new development projects (Millard-Ball et al, 2005).

Example: Washington DC

In Washington DC, the Washington Metropolitan Area Transportation Authority (WMATA) offers Metro riders at selected Metrorail stations the option of using carsharing. It is available at or near 61 of the 80 Metrorail stations (WMATA, 2006).

Members pay an initiation fee and a monthly fee. They may also pay based upon hourly or mileage rates.

Local jurisdictions are also participating in the program. Some agencies are offering subsidies and partial payment of membership and application fees (Maryland, 2006).

- In San Francisco Wilbur Smith Associates in San Francisco uses car sharing instead of company cars. The San Francisco Planning Department granted a variance to construct the 141-unit Symphony Towers apartments with only 51 spaces (rather than the required 141) in part because of the commitment for two car sharing parking spaces and the use of unbundled parking (Shoup, 2005).
- Berkeley, California retired its fleet vehicles and replaced them with carsharing vehicles saving an estimated \$250,000 in the first three years of the program (KRON4, 2004; City of Berkeley, 2005).


Transit Friendly Parking Design

In many communities, parking lots are designed strictly for the convenience of the automobile user with no consideration for transit. In suburban communities, up to 75 percent of the site can be dedicated to surface parking (Tri-Met, 1996). It is important to consider street orientation, pedestrian entrances and links to transit service (Calgary Transit, 2006). This includes reducing the visibility of parking structures and parking lots (reducing “dead space”), creating an area with destinations that encourage walkability. Often times, these areas can create more transit and pedestrian friendly parking by either disguising parking to look like adjacent buildings or by adding retail outlets and display cases at ground level of the parking structures.

As a first step towards creating a TOD, communities can look at the feasibility of creating incentives to develop transit friendly parking design standards. At minimum, this includes locating most of the surface parking behind or to the side of buildings. This strategy can be used in more suburban locations that cannot financially justify the cost of structured and underground parking.

Example: Los Angeles County Metropolitan Transportation Authority Transit Friendly Parking Design

In Los Angeles, the Los Angeles County Metropolitan Transportation Authority developed transit friendly parking design credits as part of its congestion management program. It also included development credits for projects willing to implement parking pricing (Kodama, Willson, Walker Parking Consultants et al, 1997).



Transit Overlay Zones

Transit can also be supported by the use of transit overlay zones and transit friendly parking design. In a transit overlay zone, cities modify the underlying zoning regulations to ensure that development encourages greater transit use and support efficient transit service. For example, the Transit Overlay Zone in the City of Mountain View allows for the creation of corporate neighborhoods that are integrated with a new light rail station.

TOD and Transit Overlay Zones allow more density while reducing parking requirements. It is directly linked to transit incentives (employer sponsored bus passes) and/or through the zoning and permitting process that require new developments, at a minimum, to meet the exiting peak hour transit mode split through the use of TDM actions, allowing shared parking use and granting density bonuses for certain uses or development design.

City of Oakland – Chapter 17.100 S-15 Transit Oriented Development Zone Regulations

The S-15 zone is intended to “create areas devoted primarily to serving multiple nodes of transportation and to feature high density residential, commercial and mixed-use development to encourage a balance of pedestrian-oriented activities, transit opportunities and concentrated development.” The S-15 zoning regulations are used to create high-density transit oriented development.

The S-15 zones require parking as provided in Chapter 17.116. The actual number of required parking spaces is generally determined by the Director of City Planning.

Transit Incentive Programs

Transit Incentive programs vary from passive and indirect to planned under an overall command and control strategy mandated through local ordinance, law or promulgated rulemaking. Although broadly considered as part of Transportation Demand Management actions, incentive programs are generally implemented at the local level by transit providers (bus passes, fare free zones, fare discounts to seniors, school kids etc), individual employers or through TMAs, and through special user side subsidies from social service agencies or school districts. The most common incentive is a pass program. In areas with a parking shortage, group discount pass programs may reduce parking demand, shifting commuters from drive alone to transit.

Annual Pass

Incentive programs for alternative modes, such as the “eco pass” concept used in Seattle WA, Boulder CO, Santa Clara County CA and Portland OR provide discounted low cost transit pass programs that reduce parking demand. The free or low cost transit tickets or passes significantly increase transit ridership, reduce vehicle ownership and reduce vehicle trips. Transit passes purchased at a group discount are called universal transit passes, eco passes or an annual pass. This pass program is used for groups such as cities, universities, employers and residential associations.

Example: Santa Clara Valley Transportation Authority Annual Pass Program

The Santa Clara Valley Transportation Authority offers ECO passes for businesses and residential communities. Employers can purchase an annual ECO pass for all full-time employees at a discounted price based upon service and number of employees. Residential communities such as condominiums, apartments, townhouses, homeowner associations and community associations can also purchase ECO passes for their residents at a discounted price. Customers can use these passes on any SCVTA bus or rail line. The use of these passes saves the user on the cost of a transit pass, increases transit ridership and results in a lower demand for parking.

Example: King County Metro Residential Pass Program

In addition to successes with the use of ECO passes in Downtown Seattle, King County Metro has also experienced success in more suburban transit center environments. The Village at Overlake Station in Redmond and the Metropolitan Place at the Renton Transit Center provide bus passes for all residents. Survey results suggest that half the residents are now regular bus users (Shelton, 2003).

Universal transit pass programs that include the cost of transit for students, faculty and/or staff are used at universities such as the University of Washington, Cal Poly San Luis Obispo, University of California at Santa Barbara and the University of California at Los Angeles.

Example: UC Berkeley

In situations where short term visitor parking is in short supply, a discounted annual pass program can reduce parking demand, increase parking revenue and increase parking supply for short term visitors. University of California Berkeley (UCB) works with AC Transit in a program that allows full-time students unlimited rides on the AC Transit system. A 1997 survey revealed that 5.6 percent of UCB students used AC Transit before implementation of the class pass. In 2000, 14.1 percent of the UCB students now used AC Transit. Fare revenue increased from \$84,500 per month to \$125,100 per month (Nuwersoo, 2005).

Example: University of Washington

At the University of Washington, the use of transit has reduced the need for parking. In fact, despite the addition of 8,000 more people to the campus, there has been a reduction in on-campus parking spaces and a reduction in parking demand. UW has avoided building 3,600 new parking spaces, therefore saving itself \$100 million in parking construction costs (Nuwersoo, 2005).

Downtown Free Zones

Seattle and Portland have “downtown free transit zones” that help customers “park once” and use transit to travel from parking facilities to downtown destinations. Downtown Los Angeles uses the “DASH” system, which is a downtown shuttle system that costs only 25 cents per ride.

Visitor Programs

Cities such as Washington DC, Boston MA and San Francisco CA have developed visitor programs and pass systems that encourage the use of transit.

Walkability and Wayfinding

A key consideration in the development of smart growth and TOD parking strategies is the development of a walkable environment. Often times, motorists will experience a parking shortage in the immediate vicinity of their final destination while ignoring the availability of parking spaces within a short walking distance. Encouraging the creation of comfortable walking areas and linkages between parking facilities and destinations improves customer perception and brings more parking spaces into the total parking supply.

Examples:

- Philadelphia PA, San Antonio TX, and Indianapolis IN have developed pedestrian Wayfinding systems that make it easier for visitors to walk from parking structures to major attractions.
- The City of Burbank (1992) used a combination of priority parking for customers, shared parking, employee parking pricing, and pedestrian improvements to revitalize its downtown area, creating an entertainment area with 35 restaurants, a downtown shopping center, movie theaters, anchor retailers and specialty retail shops. Pedestrian improvements create a core walkable environment and provide linkages to shared parking facilities (Wilbur Smith, Kodama et al, 2005).

Other Transportation Demand Management Issues

Transportation demand management (TDM) combines a variety of techniques which induce modal choice behavior changes that reduce the demand for SOV vehicle trips and parking through the use of alternative modes. In addition to transit, TDM encourages the use of vanpooling, carpooling, walking, biking, and working at home (telecommuting), alternative work hours and other strategies. TDM programs can help reduce parking demand. Some local jurisdictions will work with businesses to reduce parking requirements in exchange for TDM programs. In Hartford, Connecticut, the parking requirement can be reduced up to 30 percent in exchange for an agreement to issue discounted carpool parking, conduct rideshare promotions, subsidize transit passes and offer shuttle service connecting off-site parking to the work site (Maryland, 2006).

City of Seattle

The City of Seattle has a discounted carpool preferential program. Other incentive examples include preferential carpool and vanpool parking in off-street lots, guaranteed ride home programs for rideshare participants, and ride match data base programs. Improvements to alternative modes are used to reduce parking demand for on-street parking, induce use of off street facilities, and support Transportation System Management (TSM) actions to reduce congestion and improve overall access to specific areas.

City of Alameda

Subsection 30-7-13 Reduction in Parking Requirements.

The schedule of required minimum off-street parking provided by subsection 30-7.6 may be reduced, upon approval of the Planning Board, if the applicant can demonstrate that parking demand will be reduced for the life of the project through one (1) or more of the following methods:

- a. Transportation systems management techniques such as employee subsidies for public transit, employee subsidies for car and van pools, employer sponsored and organized car and van pools, free transit passes for shoppers in retail project, etc. To qualify for a parking reduction, the applicant must enter into an agreement with the City which includes monitoring and enforcement provisions as approved by the Planning Board.
- b. Improvement of bus stops, including providing bus shelters, benches, turnout areas, etc.
- c. Payment to the City of in lieu fees, equal to the current estimated per square foot value of the land, multiplied by the difference between the number of required and provided parking spaces, multiplied by two hundred fifty (250). In lieu fees shall only be allowed where the City can identify appropriate uses for the funds reasonably related to the project. Appropriate uses shall include but not be limited to acquisition of land for parking, construction of new parking facilities, improvements to existing off-street or on-street parking facilities including landscaping, installation of bicycle lanes and paths, and installation of bicycle racks and lockers. Funds raised by in lieu payments shall not be used for routine maintenance. (Ord. No. 535 N.S. §11-14C12; Ord. No. 1277 N.S.; Ord. No. 2375 N.S.)

City of South San Francisco

The City of South San Francisco has a Transportation Demand Management Ordinance that allows reduced parking requirements for projects that meet TDM requirements. For example, the mixed-use Bay West Cove development (EPA, 2006, City of South San Francisco, 2003) was able to reduce parking requirements by 10 percent in exchange for the implementation of TDM strategies including:

- Free parking for carpools and vanpools.
- Late-night taxi service and feeder shuttle service
- Transit subsidies for tenants
- Guaranteed ride home program
- Designated transportation coordinator and On-site project amenities
- Parking charges of at least \$20 per month for employee spaces.

City of Pasadena

The City of Pasadena has adopted an ordinance entitled “Established Trip Reduction Standards in Specified Developments” that encourages the use of transportation modes including public transit, vanpools, carpools and bicycles and alternative work hours. The ordinance requires that:

Projects that exceed 25,000 square feet must meet the following requirements.

- A minimum 10 percent of employee parking must be designated for carpool and vanpool vehicles.
- Bicycle parking shall be provided near the employee entrance.
- Transportation information at a location seen by the greatest number of employees.

Projects over 100,000 square feet must meet the above requirements and the following additional requirements.

- Carpool and vanpool loading area.
- Connecting sidewalks

Section II Parking Requirements: Changing Parking Regulations on Development

Definition

Off-street parking requirements are standards established by cities that require construction of parking for each use. Parking requirements can vary according to use, location and characteristics of each community. They are designed to prevent spillover onto public streets and adjacent properties. According to a survey of over 90 percent of the local jurisdictions in the South Coast Air Basin (Kodama, Willson & Francis, 1996), municipalities provided the follow reasons for their minimum parking requirements:

- Ensure an adequate number of spaces (35 percent)
- Avoid spillover onto local streets (28 percent)
- Avoid spillover on adjacent neighborhoods and property (7 percent)
- Improve traffic circulation (14 percent).

There is no standard for parking requirements. The amount of parking required for use varies depending on a variety of factors. The following table is a sample of parking requirements.

Sample Parking Requirements

City	Office	Residential	Retail	Restaurants	Comments
Berkeley	1.5/1,000 sq ft	1/unit (1-4 units) 1/3 units (5 or more units)	n/a	1/300 sq ft	Shared use within 1,500 feet; Parking reductions allowed; requirement varies by district
Burbank	3/1,000 sq ft	varies	3.3/1,000 sq ft	5/1,000 sq ft	Exception for the Central Business District
Los Angeles	1/500 sq ft	1 to 2/ unit	4/ 1,000 sq ft	1/ 100 sq ft	Exceptions and variances
Oakland	n/a	0 to 2/ unit	0	0 to 1/ 200 sq ft	50% reduction via conditional use permit process
Pasadena	3/1,000 sq ft	1 per unit (less than 650 sq ft) 1.5 to 2.0/unit (more than 650 sq ft)	3-4/1,000 sq ft	4-10/1,000 sq ft	Reduction for TOD and CBD areas
Sacramento	1/400 to 1/275 sq ft	0 to 1.5/ unit	0 (less than 5,200 sq ft; 1 / 250 to 400 sq ft)	1/ 3 seats	Reduced minimum, maximum within CBD regulated area
San Diego	2.9 to 5.0/ 1,000 sq ft	1 to 2 spaces/ unit 0.75 to 2.5 per unit	1.0 to 6.5/ 1,000 sq ft	1.0 to 25.0/ 1,000 sq ft	Reduced minimum within a transit area and maximum by zone
San Francisco	1/ 1,000 sq ft	1/unit 1/ 4 units	1/ 1,000 sq ft	1/ 200 sq ft	Exceptions
San Jose - Downtown	1/ 360 sq ft	1/ unit	0	n/a	
Seattle	1/ 350 to 1,000 sq ft	0.167 to 1.5/ unit; 1/unit SFH	n/a	1/ 200 sq ft	Exceptions

Source: City municipal codes, 2006

Issues

Off-street parking requirements in local municipal codes directly affect parking supply, parking pricing possibilities, urban design, and development feasibility. While minimum off-street parking requirements may address legitimate concerns regarding spillover and neighborhood impacts, it can work against creating successful parking policies for transit-oriented districts. Minimum parking requirements may result in an oversupply of parking (Willson, 1995) and can create a “dead zone” of empty parking spaces in the middle of a commercial district or neighborhood (US EPA, 2006). An oversupply of parking can result in free commuter parking, more auto use, lower site density, higher land use consumption, lower land values and less use of alternative modes.

In many cases, planners may rely upon neighboring cities or national handbooks to determine parking requirements (Kodama, Willson, & Francis, 1996) rather than conducting a parking study to determine the actual utilization. Often times, these parking requirements may be based upon peak parking demands for a specific use, thus resulting in an oversupply of parking throughout most of the day or year. Too often, the use of transit as a means to reduce parking demand is underestimated.

Linking a reduction in parking requirements to transit policy is an important first step towards developing smart growth/TOD friendly parking policies. California authorizes variances from parking requirements to encourage the use of transit (White, 1999) (See Appendix A California Government Code 65906.5). For example, the City of Pasadena reduces parking requirements in TOD areas (see example after this section).

In California, Oregon and Washington, downtowns such as San Francisco, Oakland, Portland, Seattle, and Sacramento do not have a parking requirement for commercial development. Cities such as Los Angeles, Culver City, Monterey Park, and Vancouver are reducing minimum parking requirements in their downtowns.

Off-street parking policies can limit the ability to create effective parking pricing programs, affect urban design, and make new development more costly. Therefore, it can be acceptable to reduce or eliminate parking requirements in areas with development opportunities that may provide a better use of resources, in locations with shared parking opportunities to handle peak parking demand and in communities with a highly developed transit system that provides viable alternatives that reduce parking demand.

Implementation

To address these concerns, communities should consider reducing or eliminating the off-street parking requirements within transit-oriented or other dense, mixed-use districts. In deciding how much to reduce the requirements or whether to eliminate them entirely, communities should consider the effect of providing parking on development feasibility. This is especially important in locations with high land costs or community preservation issues (protection of historical buildings, community character, aesthetics and environmental concerns). The reduction or elimination of off-street parking requirements work best in areas with high-quality transit service, parking pricing and a walkable environment. This reduces the demand for parking and impact of spillover parking into a neighborhood.

Considerations for Reduction or Elimination of Parking Requirements

City - Eliminate or reduce off-street parking requirement	<ul style="list-style-type: none"> • Economic Vitality – better use of land • Parking occupancy study • Transit and walkable environment • Parking pricing
---	--

To reduce, develop demand based, or eliminate parking requirements, a community will need to examine economic issues, site and neighborhood characteristics, location features, and market issues. The reduction of parking requirements as part of the adaptive reuse ordinance in Downtown Los Angeles was considered an essential part of their redevelopment efforts resulting in the conversion of existing obsolete buildings that do not meet current minimum parking requirements into residential uses without adding any additional parking. Since 1999, this has resulted in the completion of over 6,000 housing units, with an additional 4,000 units in the planning process (Los Angeles, 2006).

The community will also need to examine parking occupancy. Cities such as Los Angeles, Culver City, Claremont, Monterey Park, Corvallis, Kirkland and Vancouver are conducting parking occupancy studies to examine the feasibility of reducing minimum parking requirements in their downtowns.

However, it is very important to tailor the approach to the conditions in each place. The key is to combine TOD with parking policies and develop the right mix of strategies, recognizing that each community must go through its own process and select the most appropriate tools and standards to move forward. The reduction in the amount of parking spaces can be linked to its proximity to transit and good pedestrian infrastructure.

Developing TOD Friendly Parking Requirements

Current	Step One	Step Two
Parking requirements	Demand-based parking requirements based upon local parking utilization study	Elimination of minimum parking requirements or establishment of parking maximum linked with transit, walking and parking pricing.

The following are examples of parking reductions.

Example: City of Pasadena TOD Parking Requirement Reduction

17.50.340 - Transit-Oriented Development (TOD)

These standards shall apply to new development projects located within 1,320 feet (1/4 mile) of a light-rail station platform. Within the Central District, these standards shall apply to the Central District Transit-Oriented Area.

Parking requirements.

1. **Parking reductions for nonresidential development projects.**
 - a. **Office uses.** For the uses offices - administrative business professional and offices - governmental, the minimum amount of required off-street parking shall be reduced by 25 percent, and this reduction shall be the maximum allowed number of parking spaces.
 - b. **All other nonresidential uses.** For all other nonresidential uses the minimum amount of required off-street parking shall be reduced by 10 percent, and this reduction shall be the maximum allowed number of parking spaces.
 - c. **Further reduction with study.** The parking requirements may be further reduced through a parking demand study and approval of a Minor Conditional Use Permit.
2. **Exceeding allowable parking requirements.** A project site may exceed the maximum allowable parking requirements in compliance with the following conditions.
 - a. **Commercial off-street parking.** If the parking is intended to serve as commercial off-street parking. Approval of this parking shall require the granting of a Minor Conditional Use Permit in compliance with Section 17.61.050.
 - b. **Shared parking.** A site may exceed the maximum allowable number of parking spaces if the parking is approved to serve as shared parking in compliance with Section 17.46.050.
 - c. **Joint parking.** A site may exceed the maximum allowed number of parking spaces if the parking is approved to serve as joint parking.

(1) Joint parking is a type of parking that is designed to serve uses on at least two different sites.

(2) The joint parking provided shall not exceed the maximum required parking for the combined total parking requirements of the different individual sites.

3. **Residential development projects.** The following requirements apply to multi-family residential and mixed-use development projects proposing at least 48 dwelling units per acre.
 - a. Residential parking shall be a minimum of:
 - (1) 1 space for each unit for units with 650 square feet or less to a maximum of 1.25 spaces per unit; and
 - (2) 1.5 spaces for each unit for units with over 650 square feet to a maximum of 1.75 spaces per unit.
 - b. The parking requirements may be further reduced through a parking demand study and approval of a Minor Conditional Use Permit in compliance with Section 17.61.050.
 - c. The cap includes the minimum parking requirement as well as the requirement for guest parking.
 - d. City Permits for overnight parking shall not be allowed.
 - (1) City Permits for overnight parking on City streets shall not be issued for residential development projects built in compliance with these regulations.
 - (2) Residential tenants shall be advised of the unavailability of on-street overnight parking permits.
 - e. Guest parking shall be provided as required by Table 4-6 (Off-Street Parking Space Requirements). The number of guest parking shall not exceed the minimum required.
- B. **Development projects within the CG zoning district.**
 1. **1/4 mile of the Allen Street Station.** For development projects located within 1/4 mile of the Allen Street Station, multi-family uses are conditionally permitted, shall contain a minimum of 50 dwelling units, and shall have a maximum allowable density of 48 units per acre. The Conditional Use Permit shall also establish the appropriate setbacks.
 2. **Between 1/4 and 1/2 mile of the Allen Street Station.** For development projects that are located between 1/4 of a mile and 1/2 mile of the Allen Street Station, and require a Conditional Use Permit for a project over 25,000 square feet of gross floor area, the additional findings identified in Subsection C., above, shall not be required, but shall be used to guide the review of the project and the development of appropriate conditions.
 3. **Further reductions.** The parking requirements may be further reduced through a parking demand study and the issuance of a Minor Conditional Use Permit in compliance with Section 17.61.050.

Example: Berkeley TOD Parking Requirement Reduction

Section 23E.28.140 Required Findings for Parking Reductions under Section 23E.28.130

- A. In order to approve any Administrative Use Permit or Use Permit under this chapter, the Zoning Officer or Board must make the findings required by Section 23B.28.050 and/or 23B.32.040 as applicable, in addition to any findings required in this section to the extent applicable.
- B. To approve any reduction of the off-street parking spaces under Section 23E.28.130, or under other sections that refer to this section, the Zoning Officer or Zoning Adjustments Board must find that the reduction will not substantially reduce the availability of on-street parking in the vicinity of the use. The Zoning Officer or Board must find that at least one of each of the two groups of conditions below apply:
 - The use is located one-third of a mile or less from a Bay Area Rapid Transit (BART) station, intercity rail station or rapid bus transit stops; or
 - The use is located one-quarter of a mile or less from a publicly accessible parking facility, the use of which is not limited to a specific business or activity during the new use's peak parking demand; or
 - A parking survey conducted under procedures set forth by the Planning Department finds that within 500 feet or less of the use, on the non-residential street where the use is located, at least two times the number of spaces requested for reduction are available through on-street parking spaces for at least two of the four hours of the new use's peak parking demand; or
 - The use includes one of the following neighborhood-serving uses: Retail Products Store(s), Food Service Establishments, and/or Personal/Household Service(s). These uses include, but are not limited to: Dry Cleaning and Laundry Agents, Drug Stores, Food Products Stores, Household Items Repair Shops, and/or Laundromats; and
 - The parking requirement modification will meet the purposes of the district related to improvement and support for alternative transportation, pedestrian improvements and activity, or similar policies; or
 - There are other factors, such as alternative transportation demand management strategies or policies in place, which will reduce the parking demand generated by the use.
- C. To approve any modification of the parking requirements, unrelated to the number of spaces, under Section 23E.28.130, the Zoning Officer or Zoning Adjustments Board must find that the parking requirement modification allows the continued use of an existing parking supply and that meeting the parking requirements is not financially feasible or practical. (Ord. 6856-NS § 7 (part), 2005)

San Fernando Valley TOD Parking Requirement Reduction

The Los Angeles County Metropolitan Transportation Authority (LACMTA) recently built the 14.2 mile Bus Rapid Transit (BRT) “Orange” line in the San Fernando Valley area of the City of Los Angeles. The BRT Orange Line connects the mature suburbs and urbanized area of San Fernando Valley with the North Hollywood Metro Red line subway station. The system includes 13 stations serving major activity centers including North Hollywood, the Van Nuys Civic Center, Pierce College, and Valley College, with connections to high density commercial development along Ventura Boulevard.

The dedicated busway project reduces travel times from 55 minutes to 30 minutes for bus riders in the corridor. Employment in the corridor totals 58,000 with over 17,000 employees in the Warner Center area at the western terminus of the line. While much of the housing in the corridor is single-family, 3 to 4-story multi-family housing tends to be clustered along major arterials and near station areas, there is an average population density of 8,900 per square mile in the station areas.

The City of Los Angeles General Plan Framework designates existing activity centers – of which there are four in the corridor -- as focal points for future growth. The city’s policies also call for concentrating growth within one-quarter mile of transit stations and creating a pedestrian oriented environment in these areas. Community plans covering the corridor recognize the potential for additional commercial, residential, and mixed-use development in transit station areas, but also emphasize appropriate buffering and transition to existing single-family neighborhoods. The general plan as well as specific plans for the corridor allow for a phased reduction in parking requirements as development increases and transit service improves near the transit stations (USDOT, FTA, 2004).

Other Examples:

- Olympia, Washington allows a 40 percent reduction in parking in its Downtown core.
- Montgomery County Maryland reduces parking requirements by as much as 20 percent (EPA, 2006).
- The County of Los Angeles transit-oriented development ordinance allows for a 40% reduction in parking requirements near transit stations.
- In Miami, Florida, Coconut Grove developers and property owners have a flexible parking requirement that allows for three choices: provide off-street parking, lease off-site spaces or pay an in-lieu fee of \$50 per space (US EPA and Coconut Grove Chamber of Commerce 2006).
- Berkeley has a transit first policy and several award winning TOD projects. This includes projects that emphasize the pedestrian environment and are located near transit stations. They have car-lift systems to maximize use of parking garages, ground floor retail and commercial, and housing (affordable and market rate).

Project	Lot Size (square feet)	Units (apart- ments)	Density (acre)	Parking Spaces	Commercial Space (square feet)	Amenities
Bachenheimer (2004)	12,400	44 (7 low- income)	155 units	30	3,000 Office, retail	Car-lifts
Fine Arts (2004)	26,000	100 (20 low-income)	168 units	55	12,000 Theater, retail café	Car-lifts
Gaia (2004)	14,850	91 (19 low- income)	267 units	42	12,000	Car-lifts
Touriel (2004)	7,000	35	218 units	8	2,400 Florist	Car-lifts

Source: Panoramic Interests. 2006

- Vancouver, British Columbia allows parking reductions ranging from 14 percent to 28 percent in multifamily zones near major transit stations.
- City of Long Beach allows for parking reductions up to 25 percent for new development located within 600 feet of a Blue Line transit station in the Long Beach Boulevard Planned Development District (City of Long Beach, 2005).

Parking Maximums

To minimize the impact of off-street parking, some jurisdictions allow the development of only a certain amount of off-street parking for any development (maximum). In Portland, Oregon (2006) the parking maximum limits the number of spaces, promotes more efficient use of land, enhances urban form, encourages the use of alternative modes, provides for better pedestrian movement and protects air and water quality. In Cambridge, Massachusetts (2006), parking maximums are used because they want adequate parking facilities to meet the “reasonable” needs of all building and land users without regulations that unnecessarily encourage automobile usage.

Most cities link parking maximums with the availability of alternative modes. Cities such as Portland OR, San Diego CA, Bellevue WA, Boston MA, Cambridge MA, Toronto, Canada and San Francisco CA have established maximum parking requirements for new development as part of “transit first” or auto trip reduction policies and goals. Many cities have established parking maximums based upon a parking utilization study rather than relying on parking ratios based upon national standards. Portland OR, Bend OR and Hood River OR have taken this approach.

Parking Maximums

City	Office	Residential	Retail	Restaurants	Comments
Downtown Bellevue WA	2.0 min to 2.7 max/ 1,000 sq ft	0 to 2.0/unit	3.3 min to 5.0 max/ 1,000 sq ft	0 to 15/ 1,000 sq ft	Separate re- quirements for special and overlay districts
Cambridge MA	1/400 min to 1/1,000 max sq ft	1/unit	1/250 min to 1/1,800 max sq ft	1/ 2.5 min to 1/ 15 max seats	Minimum and maximums; 4 areas
Portland OR	2/1,000 sq ft 1/294 sq ft	1/unit 0.5/unit (four plus)	1/500 sq ft or 1/196 sq ft	1/250 sq ft or 1/63 sq ft	Maximum is set by zone; standard A or B
Sacramento	1/275 sq ft; 1/500 sq ft in CBD; exemptions for redevelop- ment projects	0 to 1.5/ unit	0 (less than 5,200 sq ft; 1 / 250 to 400 sq ft	1/ 3 seats	Minimum, maximum w/ special CBD regulations
San Diego	5.0/ 1,000 sq ft	2.5 per unit	6.5/ 1,000 sq ft	25.0/ 1,000 sq ft	Minimum, minimum within a trans- it area and maximum by zone
San Francisco	7% of gross floor area	1/ 2 units	1/ 1,000 sq ft	1/ 200 sq ft	Section 151.1 maximums in downtown and C-3 Dis- tricts

Portland, Oregon Maximum Parking Requirements

The City of Portland, Oregon has established maximum parking requirements for new development in each central business district. There is also a parking maximum for development across the entire Portland metro area.

In Portland, parking maximums are set based upon the availability of transit service. Lower maximums are set based upon a ¼ mile walk from a frequently served bus stop or ½ mile walk from a transit station. Therefore, parking maximums are lower in central business districts and downtown due to the availability of alternative modes (transit). The parking maximum in the central downtown core is 0.7 per 1,000 square feet up to 2.5 in adjacent business districts. In more suburban areas with limited or no transit service, the parking maximum is set as high as 3.4 per 1,000 square feet. This ratio is adjusted every five to seven years based upon available transit service in an area.

Parking maximums are also used as part of Portland's historic preservation parking policy. Older buildings have parking rights up a maximum entitlement that can be combined with other uses. This creates a market for transferable parking rights and is used for the development of parking facilities that can combine parking rights of multiple buildings (such as a hotel, retail shops and a historic office building).

Portland has no requirement for residential parking within its Central City area and imposes a residential parking maximum of 1.35 stalls per unit. Financial institutions are providing the necessary financing to make these Portland projects feasible, with an average rate of residential occupancy in downtown Portland at 97 percent (EPA, 2006).

Portland does have minimum parking requirements for some uses. However, there is no minimum parking requirement for sites located less than 500 feet from a transit street with 20-minute peak hour service (Portland, 2006).

Shared Parking

Shared parking is based upon the concept of using the same parking spaces for two or more different land uses at different times. For example, many businesses or government offices experience their peak business during normal daytime business hours on weekdays, while restaurants and bars peak in the evening hours and on weekends. This presents an opportunity for shared parking arrangements.

Shared parking can significantly improve the economics of constructing new parking by providing greater turnover in the facility – rather than one user per day a facility may service multiple users. If parking charges exist, this turnover can increase the ability to finance the facility. Allowing for shared parking arrangements significantly reduces the amount of land devoted to parking and, in so doing, creates more opportunities for mixed use, creative site planning and landscaping. In addition to revisions to local zoning codes to enable shared parking, shared parking arrangements can be implemented through shared parking agreements between individual developers or the construction of public parking facilities. In some cases, shared parking can be a formal or informal agreement among different peak users on different days.

Some local jurisdictions incorporate language in local ordinances to permit and even encourage shared parking. These jurisdictions allow shared parking to meet minimum parking requirements for uses located within the same lot or building and also permit off-site shared parking arrangements to meet on-site parking requirements for complementary uses within a defined area. These location requirements are typically based on acceptable walking distances.

Example: Shared Parking – Montgomery County, Maryland

The Montgomery County Zoning Ordinance allows for shared parking when any land or building is under the same ownership or under a joint use agreement and is used for 2 or more purposes. The uses being served by the shared parking arrangement must be within a 500 feet walking distance of the shared parking facility. The following is a generalized example (Zimble, 2002).

The calculations are based on a development project with general retail and office uses. The retail use has a gross floor area of 100,000 square feet and the office use has a gross floor area of 100,000 square feet. The development is located in the designated Southern Area of Montgomery County and is located 1,000 feet from a Metro station.

Given this location, the minimum amount of parking normally required for a retail use is 5 spaces per 1,000 square feet gross floor area and the minimum requirement for an office use is 2.1 spaces per 1,000 square feet gross floor area. The following table summarizes the calculations. The “percentage of parking requirement column” is based on the parking credit schedule in the Montgomery County Zoning Ordinance

For this example, the minimum parking requirement for the shared parking arrangement is 521 spaces since that is the maximum number of spaces across the five time periods. This is significantly less than what would otherwise be required, 710 spaces, if shared parking were not permitted—a 26 percent reduction in the minimum parking requirement.

	Minimum Parking Requirement	OFFICE USE Percentage of Parking Requirement	Adjusted Parking Requirement	Minimum Parking Requirement	RETAIL USE Percentage of Parking Requirement	Adjusted Parking Requirement	Parking Requirement by Time Period
Weekday Daytime	210	100%	210	500	60%	300	510
Weekday Evening	210	10%	21	500	90%	450	471
Weekend Daytime	210	10%	21	500	100%	500	521
Weekend Evening	210	5%	10.5	500	70%	350	360.5
Nighttime	210	5%	10.5	500	5%	25	35.5

Example: City of Berkeley Shared Parking Code

Section 23D.12.060 Joint Use of Off-street Parking Spaces

- A. The Zoning Officer may approve an AUP to allow a Joint Use Parking Agreement to satisfy off-street parking space requirements, if all of the following findings are made:
1. The off-street parking spaces designated for joint use are located within 800 feet of the use to be served; and
 2. The times demanded for these parking spaces will not conflict substantially between the use offering the spaces and the use to be served; and
 3. The off-street parking spaces designated for joint use are not otherwise committed to satisfying the parking requirements for some other use at similar times.
- B. The Board may approve a Use Permit authorizing the off-street parking requirements for offices in R-4 or R-5 Districts to be supplied jointly with off-street parking facilities provided for multiple dwellings, if it finds:
1. No more than 20 percent of the off-street parking spaces required for the multiple dwelling use will serve as required off-street parking for offices; and
 2. The off-street parking spaces to be jointly used are located on the same lot as the offices which they are to serve, or on property under the same ownership within 300 feet from such offices.
- C. A statement shall be recorded in the Office of the County Recorder that restricts the use of the property and designates the off-street parking that is to serve the other property. The deed restrictions shall state that the property cannot be used so as to prevent the use of the parking that is being provided in compliance with the requirements of the City, unless the restriction is removed by the City. Upon submission of satisfactory evidence either that other parking space meeting the requirements of this Ordinance has been provided or that the building or use has been removed or altered in use so as to no longer require the parking space, the City shall remove the restriction from the property. (Ord. 6794-NS § 1 (part), 2004; Ord. 6478-NS § 4 (part), 1999)

Section III Changing the Price of Parking

Parking pricing concepts should be considered as an integral part of any comprehensive parking policy approach. Parking pricing is a powerful tool that can affect parking occupancy and turnover and can generate revenue for parking of community improvements. The most desirable locations in California often have parking charges.

Parking pricing can induce greater turnover of the most convenient spaces, increase parking availability, and generate revenue to fund community improvements. Parking pricing is most effective when it is combined with a comprehensive package of incentives for alternative modes, such as rail improvements, express or bus rapid transit, shuttle services, bus service, pedestrian improvements.

Examples:

In 1999, Berkeley raised its all-day parking rates in public facilities resulting in a rate increase for private off-street parking facilities, a shift to alternative modes and a decrease in all-day parking demand. Currently, Berkeley California is considering rate changes on-street and off-street with an eye to reducing meter feeding and shifting additional long term parkers from on-street to available off-street capacity or to alternative modes.

On-street Parking Pricing

On-street parking pricing is an integral part of parking pricing, since on-street parking conditions often drive off-street policy. The development of a successful on-street parking management system relies upon the development of a coordinated and comprehensive parking management system that prioritizes parking spaces for specific users.

On-street parking pricing and management can drive off-street policy. If the on-street price is too low, demand for these spaces will exceed supply, resulting in a shortage of parking spaces. On-street parking pricing works best when combined with a high level of transit service.

Examples:

In Portland OR, there is a standardized approach that creates a “core area parking zone” with 90-minute meters. Portland has also established special use zone areas that allow for longer time stays based upon users and priority parkers. Parking located near Portland State University is standardized with 3-hour time limits to allow for a longer stay by its part-time student population.

Example: Redwood City On-Street Parking

Redwood City has taken the concept a step further, approving enabling ordinance that uses parking utilization as the key for on-street pricing policy. The municipal code (section 20.120) allows for the periodic adjustment of the downtown meter rates based upon a target parking utilization rate of 85 percent. It also includes the creation of a parking database and provision of an annual parking utilization study to adjust parking rates. The parking manager has the authority to adjust rates up or down twenty five cents based upon the target occupancy rate of 85 percent. The hourly meter rate shall not exceed \$1.50.

Variable Rate Parking Pricing

Variable rate parking pricing can be used to maximize parking resources, encourage the use of alternative modes and discourage single occupant vehicles. Variable rate parking pricing can be used in areas with seasonal or special event parking considerations. This may also be used by cities to maintain desired occupancy rates (for example – charge a higher fee during events near special event centers or during special shopping seasons). It can also be used to encourage turnover and increase short term parking supply.

Example: New York

In New York, the variable rate parking pricing is used for on-street parking. The Mid-Town Commercial Parking Pricing Program sets on-street rates for multi-space meters (pay and display) at \$2 for one hour, \$5 for two hours, \$9 for three hours and \$12 for four hours. Initial results from the program indicated a decrease in average parking time from 4 to 6 hours to 90 minutes and a reduction in occupancy rates from 120 percent to 85 percent (New York, 2006). New York pay station customers can also use credit cards or NYC Parking Cards to pay for parking. Estimated revenue from this program increased from \$3.527 million (FY2004) to \$6.42 million (FY2006).

Coordinated Off-street and On-street Pricing

Off-street and on-street parking prices may also be tied together. At the same time, off-street short term parking rates are coordinated with on-street hourly rates. This encourages commuters to use alternative modes while still providing short term parking for customers.

Example: Aspen Colorado

Aspen, Colorado (1999) balances on-street and off-street parking pricing policies. Aspen changed its parking pricing structure to increase the availability of prime on-street parking (short-term customers) and increase the utilization of its off-street municipal parking structures (long-term visitors and employees). Funding from parking is used to pay for parking improvements, improve streetscape and encourage the use of alternative modes (Aspen 1999).

Unbundled Parking

A lease is unbundled when there is a separate charge for parking and there is the flexibility to vary the number of spaces (Kodama, Willson, & Francis, 1996; Kodama & Maetani, 1998). Bundled parking is absorbed into tenant leases and hides the cost of parking. It hides the cost of parking from the user and is absorbed into the lease.

For example, rather than renting an apartment with two parking spaces for \$1,000 per month, the apartment would rent for \$800 per month, plus \$100 per month for each parking space. Or, renters are offered a discount to use fewer than average parking spaces. An apartment or office might rent for \$1,000 per month with two “free” parking spaces, but renters using only one space receive a \$75 monthly discount.

Generally, parking spaces are generally bundled into the leases and are a hidden cost. Oakland California’s decision to require one parking space per apartment resulted in bundled parking, thereby increasing construction cost 18 percent per unit and decreasing

ing units per acre by 30 percent resulting in a 33 percent decrease in land value (Bertha, 1964).

Unbundling parking is an essential first step towards getting people to understand the economic cost of parking. Without unbundled parking, tenants often assume that parking is free. Unbundled parking is a critical first step necessary to implement parking pricing policies and parking cash-out. It gives the user an opportunity to opt out of parking and make decisions based upon the price of parking as a commodity rather than a free good.

Free parking	Unbundled parking	Parking Pricing	Parking Cash-out
There is no consumer cost for parking and parking is offered as a free amenity. Parking costs are hidden.	This is the critical first step towards parking pricing. It helps the consumer to recognize the cost and value of parking.	Generally refers to the level of parking charge at an hourly, daily, monthly or annual rate. The market rate of parking is posted to the consumer.	The consumer is offered a choice of a parking space or the out-of-pocket cash-equivalent of the parking space.

Example: San Francisco: Central Waterfront Plan

The Central Waterfront Plan includes the elimination of dwelling unit density restrictions, designates residential as a principally permitted use, limits retail and office uses to the first and second stories, eliminates minimum parking requirements and requires unbundled parking from the rental or sale of residential uses.

- San Francisco housing units with off-street parking bundled into the unit sell for 11 percent to 12 percent more than units without parking (Jia and Wachs, 1998),
- The Los Angeles County Metropolitan Transportation Authority developed a policy to give congestion management program credits to projects willing to unbundle parking (Kodama, Willson, Francis et al, 1997).

Parking Cash-Out

Parking cash-out allows employees to choose between a parking subsidy or the out-of-pocket equivalent cost of the parking space. Employees may choose to apply the money towards their parking space or make arrangements to use a lower cost alternative mode and keep the cash. A study on parking cash-out summarized results from seven work sites and estimated a 26 percent reduction in parking demand (Shoup, 1992). In an analysis of downtown Los Angeles commuters, Shoup and Willson (1992) estimated that parking charges can reduce parking demand by 25 percent and parking cash-out can reduce parking demand by 17 percent. They estimated that significant mode shift will occur

California AB 2109 (1992) requires parking cash-out of sites with 50 or more employees in non-attainment air quality areas who provide parking subsidies, have non-owned employee parking and can reduce parking without a financial penalty.

More recent cash-out studies by Kodama et al (1996), Shoup (1996 and 1997) and Van Hattum et al (2000) expanded the definition of cash-out and provide a more flexible and

broader application. The Van Hattum study involved voluntary promotion of parking cash-out and educating employers about cash-out opportunities. Within the past ten years, many employers in Downtown Portland, Downtown San Francisco and Downtown Seattle have created effective programs that eliminate free or subsidized parking while providing employees with transit passes.

Example: Downtown Seattle Unbundled Parking and Market Driven Parking Cash-out

Downtown Seattle has parking cash-out because it has created an environment that allows businesses to cash out because it makes economic sense and serves their own self interest. Downtown Seattle has the key elements to promote cash-out including:

- Excellent transit service
- Unbundled parking leases
- Limited parking supply and parking prices
- High land values

Example: City of Santa Monica Parking Cash-Out Law

The City of Santa Monica is the only city in California that requires compliance with the parking cash-out law. The program is part of the city's Emission Reduction Plan. There are 26 employers who participate in the program, resulting in a 20 percent reduction in parking use at these employment sites. A study conducted by Donald Shoup (1997), concluded that two Santa Monica employers who used cash-out reduced solo driving by 7 to 8 percent.

- The County of Los Angeles was one of the first major employers to offer a cash-out program to its employees. This program resulted in a decrease in solo occupant drivers and allowed the County of Los Angeles to use its excess parking for other more profitable uses.
- The Los Angeles County Metropolitan Transportation Authority gives congestion management program credits to projects willing to cash-out parking (Kodama, Willson, Walker Parking Consultants et al, 1997).

Section IV: Parking Management Strategies, Programs and Technology

Definition

Parking management is defined as the strategic application and use for existing and planned parking spaces both on-street and at-off street facilities in a given area. Parking management is a system management tool which addresses how vehicles access, use (length of time) and egress from parking spaces. These tools include the:

- Designation of long term and short term parking.
- Payment technologies.
- Application of Intelligent Transportation Systems (ITS) technologies in facilities that accommodate & maximize use within a limited spatial areas.
- Implementation of parking demand management strategies to encourage multiple use of parking facilities.

Issues

The development of parking management strategies, programs and technology considers parking perceptions and attitudes, parking pricing, land use policies, community characteristics and transportation alternatives. Many people do not think about parking unless they cannot find a space or it costs too much. Generally, there is an expectation of free, abundant parking in most areas. However, developing parking policies to support TODs and Smart Growth requires a new attitude recognizes parking location, cost, supply and demand issues. It involves helping users make a choice based upon choices and transit options.

For local jurisdictions, this changes parking planning with a new focus on capacity, price and utilization of parking system and how to best use parking resources. It requires identification of priority parking users, selection of parking areas for customers, employees and residents, and the linkage of parking, walkability and transit options.

Implementation

Identification of target markets for parking is an important consideration. This includes prioritizing uses of parking resources through conversion of existing long term parking to short term use. Many communities have undertaken parking assessment studies to evaluate the best means and methods to use short and long-term spaces and facilities. This increases the productivity of existing parking spaces by increasing the number of person-trips served per spaces allows for strategies that can be designed and tailored to meet needs that can vary by area. The most effective conversions require a strategic and phased approach that includes investments in alternative modes before removal of both daily commuter parking and long-term parking at airports and rail stations.

Implementation of parking management strategies includes parking demand, supply, cost, safety and location issues. It needs to consider economic and financial feasibility issues, site characteristics, location features and compatibility with surrounding uses as well as market and regional issues.

The approach must consider the creation of a win-win program that is customized for each community. Generally, the combination of strategies should maximize economic incentives, while identify and prioritize primary and secondary target markets. It also needs to include creative employee parking programs and utilize transit options. These strategies impact land use patterns and transportation demand management actions (Kodama & Willson, 2000, Willson, 2005). The following strategies, programs and technology can enhance smart growth and TOD opportunities:

Examples

Portland, Oregon, Anchorage, Alaska and Vancouver, Washington have developed priority parker profiles and converted long term parking to short term use. Vancouver, Washington and Portland Oregon have strategically purchased land and built new public parking facilities that are used solely for short-term customer parking.

Parking Payment Technology

Rapid development in pay station technology is providing options for variable pricing, accept multiple payment mediums, more user friendly, support ITS information on parking availability to users and provide better intelligence for parking system managers. Many cities are considering pay stations that accept bills, increase parking supply and increase revenue. This new technology allows for the development of pay stations with advance pricing capabilities.

The pay stations create financial and operational database that tracks, an audit trail, real-time data and increase revenue opportunities. Pay stations allow accept credit cards and create the ability to use on-street variable rate parking systems that allow for higher charges for longer stays or special events. Pay stations have now been implemented in many cities throughout the United States such as New York, Seattle, Portland, Long Beach, Boston, and Chicago.

Example: City of Seattle

In 2004, the City of Seattle began replacement of single space meters with a multi-space pay and display system, per space parking revenue with the same fee has increased 40 percent due to the propensity of motorists to use credit cards (62 percent of parking revenue) to purchase the maximum parking period allowed and avoid a parking ticket. In 2004, the City of Seattle began replacement of single space meters with a multi-space pay and display system. As a result, per space parking revenue with the same fee has increased 40% due to the propensity of motorists to use credit cards (62% of parking revenue) to purchase the maximum parking period allowed and avoid a parking ticket.

Parking database

ITS technology facilitate the development of a comprehensive on-street and off-street database of parking gives local jurisdictions a more accurate assessment of parking use upon which they can develop programs that better reflect local conditions and issues. These data bases can also be used to provide the public with real-time information on parking availability at employment sites and other attractor/generators. Current efforts involve taking and evaluating regular surveys. Cities are looking at the feasibility of creating these types of database through ITS technology to gather analyze and provide real-time parking information.

Example: Downtown Seattle Parking Database

Downtown Seattle has a parking database. Downtown Seattle has limited parking (54,063 spaces) to support an employment base of 181,807 jobs. The overall central business district peak-hour occupancy rate of 76.8 percent indicates that parking is generally well used in Downtown Seattle (King County Metro, 2001). In Downtown Seattle, monthly rates vary from \$38 to \$275 (PSRC, 1999), with an average monthly rate of about \$174 (King County Metro, 2001). Daily parking rates vary from \$21.50 per day to as low as \$3.00 per day, with an average at \$14.39 per day.

Real-time Parking Information

Real-time parking information, guidance and wayfinding systems make it more convenient to find parking. These systems range from guidance given in the garage itself as to the location of available spaces to coordinate guidance systems that provide directions to the appropriate parking garage and guidance within that facility. Often districts have sufficient total supply of parking, but use portions of the inventory inefficiently. Some cities have electronic wayfinding guidance systems as they enter a district. Both improve traffic circulation and the efficiency of the parking system.

Examples

BART, Portland International Airport, Baltimore International Airport and the Grove in Los Angeles have parking systems that use dynamic signs to communicate stall availability to motorists. The City of Santa Monica has a web-based system that the user can access to examine the availability of parking.

Section V: Parking Benefit Districts

Definition

Parking Benefit Districts generally utilize revenues generated by a range of means including assessments, taxes or parking meters to provide transportation-related services, and various infrastructure/and or other improvements in order to improve the viability of the area. These districts may also use a variety of strategies to enhance the benefits derived from the revenue. Parking can be managed on an area-wide or site specific basis.

Issues

There are several key issues that need to be considered in developing a successful Parking Benefit District. Key stakeholders such as businesses, developers, land owners, residents and government representatives need to work together to develop goals, objectives and a plan to create a parking district. Decisions on how, where, amounts and for which items funds shall be spent on are critical elements that need to be addressed.

Implementation

Development of a parking benefit district begins with the involvement of key stakeholders to create a set of guiding principles that help facilitate the process and develop the rules for a parking district. The next step is to develop an action plan that establishes boundaries, specific location of parking meters, assessments and other strategies.

Typically, a parking district will collect revenues from parking meters, residential permits and other parking revenue sources. California cities such as Pasadena, Palo Alto, Beverly Hills, Riverside, Redondo Beach, Sacramento and San Diego have created parking districts that use the revenue to improve the local neighborhood. There are discussions to use the concept of parking benefit districts in residential communities. In the examples listed below, parking revenue was returned to the district to fund improvements.

Example: Old Pasadena Business Improvement District

In Old Pasadena, there are an estimated 750 on-street parking spaces and 8,000 off-street spaces. The City operates three parking structures in Old Pasadena with approximately 1,600 spaces. In these facilities, the first 90 minutes are free, with the hourly rate set at \$2 and a maximum rate of \$6. Vehicles that enter from 10:00 pm to 5:00 am pay a flat rate of \$5 (Meyer Mohaddes, 2006).

The focus of the Old Pasadena parking system is to make the on-street parking more accessible and available for customers rather than visitors and employees. The City created a parking management program for on-street parking utilizing meters that were calibrated to eliminate “cruising” for spaces. According to the Kolozsvari and Shoup (2003) study in Old Pasadena, the city did the following:

- Gained support of merchants for installing the meters by agreeing that the revenue stays in the Old Pasadena District.
- Coordinated efforts with the Old Pasadena’s Business Improvement District (BID) to create boundaries for the Old Pasadena Parking Meter Zone (PMZ).
- The City founded the Old Pasadena PMZ Advisory Board which was made up of businesses and property owners. The members provided input for parking policies and spending priorities for area’s meter revenues.
- Installed parking meters to manage on-street parking supply and established a \$1.00 hourly rate. Increased available parking spaces by pricing the on-street spaces.
- Allocated all of the funds to public investment in the Old Pasadena District.
- Utilized funds to purchase street furniture, trees, tree grates, and historic lighting fixtures and to maintain the area. Maintenance included daily sweeping of the streets and steam cleaning of the Colorado sidewalks,
- Conducted marketing campaign to inform shoppers of the benefits of meter revenues.

A key element of the plan was the creation of the Old Pasadena Business Improvement District (BID). Developed in partnership with the City of Pasadena, the BID reinvests parking revenues in the district. The BID Board consists of business and property owner who set spending priorities based upon the zone’s parking meter revenues. The first project was the Old Pasadena Streetscape and Alleyways Project. This \$5 million project updated street furniture, trees, tree grate and historic lighting fixtures. Since then, the BID has relied upon this funding source for its own street sweeping, trash collection, graffiti removal and sidewalk cleaning program.

Example: Lloyd District Meter District

The Lloyd District Meter District (Williams, et al 2005) is located just across the Willamette River from Downtown Portland. A majority of the meter revenues are allocated to transportation improvements and programs in the Lloyd District. The Lloyd District meter district includes nearly 2,000 metered stalls serving a mixed-use business center in Portland, OR. Established in 1997, revenues from the meters can be used to fund transportation improvements and programs such as:

- Extension of the Fareless Square for transit service connecting the Lloyd District and Downtown Portland;
- Operating funds for the Lloyd District Transportation Management Association; Pedestrian improvements including sidewalks, intersection crossings and lighting.
- Signage and wayfinding systems.

Downtown Tempe Community (DTC)

DTC is a non-profit business association in Tempe Arizona that is funded through a business improvement district. The DTC manages on-street parking in Tempe's central business district. DTC now manages over 95 percent of the public and private parking, including on-street parking in its service area.

Downtown Management Commission

In Boulder, Colorado, the Downtown Management Commission manages on and off-street parking. It collects parking revenues from garages, meters and in-lieu parking fees. These revenues are used to provide free universal transit passes, guaranteed home services, ridematching, bicycle parking and other benefits.

Section VI: Parking Financing

The cost of construction, operation and maintenance of parking impacts smart growth and TOD. Financing parking can be one of the most challenging parts of parking development. The development of parking is not free. Constructing parking spaces typically costs anywhere from \$8,000 per space for a suburban surface parking lot to \$60,000 per space for an underground parking facility (construction and land cost). Pacific Place parking garage in Downtown Seattle had a per stall cost of \$61,000 (Seattle Post Intelligencer, 1998 and Washington State Department of Transportation, 1999).

To determine the cost of parking, it is important to consider the facility's annual income, operating costs, amortization rate, land costs and construction costs. The cost of parking also needs to consider the highest and best use of land. For infill locations, the opportunity cost can be very high. The Transportation and Land Coalition (2002) estimates that on-site parking spaces in the Silicon Valley can reduce the number of housing units by 25 percent or more.

Definition

It is difficult to use parking user revenues to pay for parking facilities. In most cases, the high development costs and limited funding opportunities results in the need to identify alternative funding and financing options. There are many parking finance options, including private sector financing, bonds, grants, tax revenues or other obligations (Urban Land Institute, 2000). Some examples of creative parking financing methods are described below. This includes fee-in-lieu of parking, risk fund, bonds, tax exemptions, variable rate taxes and grants.

Issues

The development of parking can be a risky and expensive proposition. Parking costs per space vary depending on a variety of conditions. The financial viability of parking (revenue and cost) involves a financial feasible assessment and a financing plan. Key issues include identification of revenue streams, development of financing options, determining construction costs, paying for operation and maintenance as well as examining alternative uses of land.

Implementation

Generally a financial feasibility study is conducted to determine the costs of constructing and maintaining the parking facility. The following are some financing and revenue options to build a parking facility.

Financing

Most parking structures are financed with private funds. Private financing can be 10 to 20 years and may include a variety of financing options such as variable, indexed or blend mortgages. Local jurisdictions may use public financing that can involve the use of municipal bonds. Parking revenues, lease payments, benefit assessments may be used to secure bond payments. The following are other sources of funds that can be used to pay for parking facilities.

Fee-In-Lieu

In some cities, developers are allowed to buy out of minimum parking requirements. The fee-in-lieu fee is set at a level below the cost of constructing parking spaces and can be used to fund future parking facilities. More creative cities also use this fund to pay for other transportation improvements in the project area. It can often be a favorable solution for the redevelopment of older and historic properties and can be used to develop shared parking facilities.

Example: City of Pasadena

Pasadena has used fee-in-lieu funds to pay for various transportation improvements in Old Town Pasadena. The city created a “Parking Credit Program” that enables businesses to meet their off-street parking requirements. In 2001, it was set at \$115 per space which is substantially lower than the cost to construct a parking stall. These lower charges allow a business to locate in a building which may not have the same use. This eliminates an impediment for the business moving into the building which may not have sufficient parking to meet its higher parking requirements. The intent of the City’s zoning credit is to use fees to create a pool funds to develop off-street parking (Shoup, 2005).

City of Mountain View

The City of Mountain View has an in-lieu fee program that is used on developments fronting the main streets in Downtown Mountain View. This encourages shared parking facilities, reduces the development cost of parking and makes better use of parking resources. The in-lieu fees can work with density adjustments for residential uses (Hurrell, 2006).

City of Miami, Florida

The City of Miami requires 1.5 parking spaces per unit for new apartment buildings. Parking must be provided on-site or within 500 feet of the site with the remaining parking spaces may be satisfied by the payment of a Parking Impact Fee. New retail space must provide one parking space per 300 square feet of floor area and office space requires one parking space per 400 square feet of floor area. Parking spaces must be provided on-site or within 500 feet of the site.

A parking Impact Fee (in-lieu fee) may be paid to the City of Miami Beach in lieu of providing required parking on-site, or within 1200 feet of the Site in the Miami Beach Architectural District or otherwise within 500 feet of the Site, in the following instances:

1. New construction of commercial or residential development and commercial or Residential additions to existing buildings whether attached or detached from the main structure within the Miami Beach Architectural District or a Local Historic District.
2. When an alteration or rehabilitation within an existing Structure results in an increased parking requirement.
3. New construction of 1,000 square feet or less, or additions of 1,000 square feet or less to existing buildings whether attached or detached from the main structure may fully satisfy the parking requirement by participation in the Parking Impact Fee Program.
4. The creation or expansion of an Outdoor Cafe when created as part of new construction or outside the Architectural District or a Local Historic District.

Risk Fund

Development of a risk fund can guarantee revenue for short-term parking lot owners/operators. This is accomplished by guaranteeing owners of parking facilities a level of revenue in exchange for agreeing to provide short term parking. This can be used to encourage the use of parking resources for short term uses, discourage commuter parking and support the use of transit alternatives.

Example: Seattle, Washington

Seattle WA (2006) is using this strategy to increase short term parking supply and discourage commuter parking as part of the Alaska Way Viaduct and Seawall Replacement Mitigation Program.

Tax Exemptions and Variable Rate Tax

Some cities are looking at the feasibility of providing special discounts on taxes to parking owner/operators who allow access to their parking for specific priority users (such as short-term customers). They are also looking at the feasibility of a variable rate parking tax based on parking type and fee level to encourage operators to prioritize parking for this specific target market.

Grants

There are various grants available that can fund planning or construction of parking facilities. MTC has a Station Area Planning Grant Program that funds local planning for housing-supportive zoning, amenities for walking, biking and transit supportive parking policies (Simpson, Bickel, Heminger and Schaufele, 2006). In Southern California, the City of Claremont is using USDOT funds to help build a parking structure to support transit/TOD concepts.

City of Claremont, California

The City of Claremont secured funding for a 477 space parking facility that includes preferential parking for transit users and carpoolers. The city used a combination of local and FTA funds. This suburban community is developing a transit-oriented village consisting of 35 acres with over 200 new high-rise residential units with reduced parking requirements and over 150,000 square feet of retail, commercial and office space. The parking structure will be used to consolidate parking, reduce surface parking, support transit-oriented development and the Claremont Intermodal Regional Transportation Center. Parking is prioritized for transit users and retail customers (Kodama, 2005).



References

- Aspen, Colorado. 1999. Interview by Michael R. Kodama and Kyle Maetani.
- Berthaq, Brian 1964. **The Low-Rise Speculative Apartment**. Wallace Smith UC Berkeley Center for Real Estate and Urban Economics, Institute of Urban and Regional Development.
- Boroski, John. Topaz Faulkner, GB Arrington. February 2002. **Parking and TOD: Challenges and Opportunities**. Parsons Brinckerhoff and the California Department of Transportation. Sacramento CA.
- Calgary Transit. April 2006. **Transit Friendly Design Guide**. Calgary Alberta.
- California Government Code, Section 65906.5. 2006.
- Cevero, Robert. 1996. **California's Transit Village Movement**. Journal of Public Transportation. Volume 1, Number 1. Center for Urban Transportation Research.
- Cities 21 News, "Traffic Reducing Housing (TRH)". First Version, Fall 2005. Last updated 10/20/06
- City of Berkeley. March 16, 2005. Berkeley's CarShare Program Nominated for Prestigious 'Innovations in American Government Award.' Berkeley CA.
- City of Burbank. February 20, 1992. **Zone Text Amendment Number 92-2**. Central Business District Downtown Parking Area. Burbank CA.
- City of Long Beach. March 1 2005. **Long Beach Boulevard Planned Development District (PD-29)**. Long Beach CA.
- City of Oakland. 2006. **Municipal Code Chapter 17.100 S-15 Transit Oriented Development Zone Regulations**. Oakland CA
- City of Los Angeles. 2006. **Adaptive Reuse Program**. Los Angeles CA.
- City of Pasadena. 2006. **Trip Reduction Ordinance**. Pasadena, CA.
- City of Portland. April 2006. **Title 33. Planning and Zoning Code, Section 33.266.115**. Portland OR.
- City of Redwood City. 2006. **Municipal Code Section 20.120 Periodic Adjustment of Downtown Meter Zone Meter Rates**. Redwood City CA.
- Hurrell, Bill. December 8, 2006. Task 2 – Technical Paper – Existing Bay Area Parking Policies. Metropolitan Transportation Commission. Wilbur Smith Associates. San Francisco CA
- JHK Associates, McArthur & Associates, K.T. Analytics, Inc, and CH2M Hill. December 1995. **Regional Parking Management Program**. Metro. Portland OR.
- Jia, Wenyu and Martin Wachs. 1998. **Parking Requirements and Housing Affordability: A Case Study of San Francisco**. University of California Transportation Center Paper Number 380.
- King County Department of Transportation. January 16, 2001. **Downtown Seattle Drive-Along Commute Market Analysis**. Seattle WA.
- Kodama, Michael R. July 2005. **Claremont Parking Assessment: FTA Grant Funding Application**. City of Claremont, Claremont Redevelopment Agency. Claremont CA.

Kodama, Michael R., Richard Willson, William Francis. June 1996. **Using Demand Based Parking Strategies to Meet Community Goals**. Mobile Source Air Pollution Reduction Review Committee. Diamond Bar CA.

Kodama, Michael R. & Richard Willson. April 20, 2000. **How Parking Policy Can Support Livable Communities. Livable Communities (Parking Subtask 3.A)**. Westside Cities Subregion. Southern California Association of Governments. Los Angeles CA.

KRON4. City to Share Municipal Cars with Citizens. July 16, 2004.

K.T. Analytics, Inc. October 11, 2006. **Report to City of Union City, "Unbundling at Market Common."**

Litman, Todd. 2006. **Parking Management Strategies, Evaluation and Planning**. Victoria Transport Policy Institute.

Lowe, Mike. May 1991. "Santa Barbara's Experience with Free Parking." Parking Professional. IMPC.

Maryland. 2006. **Driving Urban Environments: Smart Growth Parking Best Practices**. Governor's Office of Smart Growth. Annapolis MD.

Millard-Ball, Adam, Gail Murray, Jessica ter Schure, Christine Fox and John Burkhardt. **Car-Sharing: Where and How It Succeeds**. 2005. Nelson-Nygaard. Transportation Research Board. Washington DC.

Nelson Nygaard. 2006 **Glendale Mobility Plan**. City of Glendale. Glendale CA

New York City Department of Transportation. 2006. **Mid-Town Commercial Parking/Congestion Pricing Program**. New York, NY.

Nuworsoo, Cornelius. Spring 2005. Discounting Transit Passes. Access. Berkeley CA.

Panoramic Interests. 2006. Berkeley CA.

Puget Sound Regional Council. 1999. **Parking Data Base**.

San Francisco Chronicle. September 5, 2006. Parking Meters Get Smarter. San Francisco CA.

Seattle Post Intelligencer. August 5, 1998. "Stalled: The Parking Crunch." Page A-6. Seattle WA.

Shelton, D. and A Lo. August 2003. "Transit-Oriented Development in the Seattle, WA, USA Area," **ITE Journal**, Volume 73, Number 8.

Shoup, Donald. 2005. **The High Cost of Free Parking**. American Planning Association. Chicago IL.

Shoup, Donald. 1997. "Evaluating the Effects of Cashing Out Employer Paid Parking: Eight Case Studies." *Transport Policy* 4(4):201-216.

Shoup, Donald. February 1992. **Cashing Out Employer-Paid Parking**. Federal Transit Administration. Washington DC

Shoup, Donald and Richard Willson. 1992. Employer-Paid Parking; The Problem and a Proposed Solution. **Transportation Quarterly** 46,2:169-192.

Simpson, James S., Richard G. Bickel, Steve Heminger and Jennifer Schaufele. 2006. Flexing and Leveraging Funds for Transit. Sustainable Concepts. **Mass Transit**.

Smith, Thomas P. 1983. **Flexible Parking Requirements**. American Planning Association. Chicago IL.

Tri-Met. January 1996. **Planning and Design for Transit Handbook**. Portland OR.

- Transportation and Land Use Coalition and Nelson/Nygaard Consulting Associates. 2002. "Housing Shortage/Parking Surplus. Silicon Valley's Opportunity to Address Housing Needs and Transportation Problems with Innovative Parking Policies."
- United States Department of Transportation, Federal Transit Administration, Office of Planning. May 2004. Guidelines and Standards for Assessing Transit-Supportive Land Use. Washington DC.
- United States Environmental Protection Agency. January 2006. **Parking Spaces/ Community Places: Finding the Balance through Smart Growth Solutions.** Washington DC.
- Urban Land Institute. **Dimensions of Parking.** 2000. Washington DC
- Van Hattum, David, Cami Zimmer and Patty Carlson. June 30, 2000. **Implementation and Analysis of Cashing-Out Employer Paid Parking by Employers in the Minneapolis-St. Paul Metropolitan Area.** MPCA and US EPA. Minneapolis MN.
- Washington State Department of Transportation. 1999. **Local Government Parking Policy and Commute Reduction.** Olympia WA.
- White, S. Mark. January 1999. The Zoning and Real Estate Implications of Transit-Oriented Development. Legal **Research Digest.** Transit Cooperative Research Program. Number 12. Kansas City, MO.
- Wilbur Smith Associates, Rick Williams, Richard Willson, and Michael Kodama. January 21, 2005. **Best Practices in Parking Management.** Community Redevelopment Agency of Los Angeles. Los Angeles CA.
- Williams, Rick. September 7, 2006. "Memorandum to Keith Cotton. Lloyd District Regional Center Plan and Progress." Portland OR.
- Willson, Richard. 1995. "Suburban Parking Requirements: A Tacit Policy for Automobile Use and Sprawl." Journal of the American Planning Association. 66: 29-42.
- Willson, Richard "Parking Pricing Without Tears: Trip Reduction Programs." (1997) Transportation Quarterly. 51: 79-90.
- Willson, Richard "Reading Between the Regulations: Parking Requirements, Planners' Perspectives and Transit." (2000) Journal of Public Transportation. 3: 111-128.
- Willson, Richard "Parking Policy for Transit-Oriented Development: Lessons for Cities, Transit Agencies, and Developers." (2005) Journal of Public Transit. 8: 79-94.
- Worth, Phill, Rick Williams and Michael Kodama. April 7, 2000. **Technical Memorandum: Seattle Neighborhood and LRT Station Area Parking Study – Flexible Parking Minimums and Parking Maximums.** Seattle WA.
- Zimble, Robin, 2002. **Driving Urban Environments: Smart Growth Parking Best Practices.** A publication of the Governor's Office of Smart Growth. Maryland.

Appendix A: California Government Code 95906.5

California Government Code 65906.5. Notwithstanding Section 65906, a variance may be granted from the parking requirements of a zoning ordinance in order that some or all of the required parking spaces be located offsite, including locations in other local jurisdictions, or that in-lieu fees or facilities be provided instead of the required parking spaces, if both the following conditions are met:

- a) The variance will be an incentive to, and a benefit for, the nonresidential development.
- b) The variance will facilitate access to the nonresidential development by patrons of public transit facilities, particularly guideway facilities.